

Index

NOTE: Find the organizations mentioned in this book on pages 155 to 158, with their page numbers and contact information. All “Activities” and “How to’s” are listed at the end of the Table of Contents.

A

Abortion, denial of health care, 113

Abuse

as part of intimate partner violence, 75
senior scams and, 126, 156

also see **Family violence; Intimate partner violence; Sexual violence; Trauma**

Acupuncture

for addiction detox and more, 94-95
training, 97

Addiction treatment programs, 92–96

Acupuncture and acupuncture, 94–95
building community as basic to, 92
detox facilities and treatments, 94
drug testing and, 93
harm reduction strategies, 95–96
health insurance and Medicaid, 93
medication treatments, 92, 94, 95
National Helpline for, 93, 155
peer counseling training program, 83
residential programs, 93
support groups, 89, 92, 93
time needed for recovery, 92–93

Addictions, to activities, 89

also see **Alcohol and drug addiction**

Adolescence, 112–121

also see **Youth/adolescence**

Adult Children of Alcoholics, 92

Adults, building connections as, **122–124**

Advertising, for alcohol, 96, 97

Advice, refrain from rushing in with

Activity: Practice good listening, 29
How to: Offer support, 26–27
pregnancy and parenting, 101
working with young people, 113

Aging, 125–127

also see **Death and dying; Older people and aging**

Al-Anon groups, 92, 163

Alcohol and drug addiction, 87–97

community education, 92, 97
denial, shame and stigma, 87, 90, 91, 92
and family members, 92, 96
mental health conditions and, 89–90, 93
questions to ask, 87–88
as self-treatment, 89–90
signs of physical addiction, 88
talking with someone about, 25, 90–92
withdrawal, 88, 94
youth and, 96–97, 113, 118

also see **Addiction treatment programs; Alcohol use; Drug use**

Alcohol use

advertising and pressure to use, 96, 97
for grief, loss, stress, 19, 42, 90
events and spaces free of, 10, 97
historical use, 87
increased use, sign of illness, 53
also see **Alcohol and drug addiction**

Anger, 84–86

Activity: Working with emotions, 85–86
children and, 67, 84, 85–86
dying and, 129
How to: Regain calm, 31
How to: Use finger-holding, 21
injustice and, 67, 69, 84
mental health/illness and, 53, 67
stress and, 19
violence and, 67

Anxiety, 30–33

alcohol or drugs and, 89–90
How to: Help during a panic attack, 32
How to: Regain calm, 31
How to: Use finger-holding, 21
junk food and, 24
in pregnancy or after birth, 104
PTSD and, 55
stress and, 19, 20, 80
youth and, 24, 118
also see **Panic attacks**

Arts

Activity: Repair the protective shield, 39
 Activity: Speak the unspeakable, 36–37
 Activity: Working with emotions, 85–86
 crafts, 36–37, 44, 86, 111
 dance and movement, 7, 24, 38, 120, 123, 125, 136, 140
 drama and theater, 8, 38, 136
 drawing, 36–37, 38, 39, 85–86, 111, 135–136
 grief and grieving and, 40, 44, 69
 How to: Use puppets with children, 111
 murals, 52, 99
 music, 7, 21, 22, 40, 114, 129, 136, 150
 storytelling, 10, 16, 38, 78, 111, 136, 141
 support groups and, 136, 140–141
 trauma experiences, 38
 writing, 36–37, 38, 40, 135, 136, 140–141
 zines, 38
also see **Music; Writing as self-exploration**

Assumptions *see* **Judgements and assumptions, avoiding**

Asthma, 79

Athletics, 76

B

Babies and children, 106–111

behavior changes, 43, 53, 109
 community events and, 10, 103, 108
 How to: Use puppets with children, 111
 playspaces, advocacy for, 108
 separations from caregivers, 110
also see **Childcare; Children; Children, communication with; Pregnancy and parenting**

Bail debt, campaigns to cancel, 81

Bike paths, 12, 24

Bipolar disorder, 49, 55

Black Panther Party, 94

Blame

Activity: Repair the protective shield, 39
 child self-blaming, 43, 76
 motherhood and depression, 103
 self-blaming for burnout, 148
 trauma survivors and betrayal, 39

Blood infection (sepsis), as cause of behavior change, 59

Body, talk therapies involving, 55

Body and mental health *see* **Physical illnesses; Signs**

Body language, 29, 62, 83, 139

Body size and shape, 19, 117

Brain development

adolescents/youth, 97, 112
 young children, 106

Brain injury, 59

Breastfeeding advocacy, 104

Breathing

Activity: Pause and reset, 140
 calming practices, 31
 How to: Help during a panic attack, 32

Buprenorphine (suboxone, bupe), 95

Burnout, 148–154

de-stressing with salsa dance parties, 123

Businesses, family-friendly, 108

C

Calmness

Activity: Pause and reset, 140
 Activity: Working with emotions, 85–86
 communicating and psychosis, 57
 de-escalating a crisis, 62–65
 How to: Offer support, 26–27
 How to: Regain calm, 31
 service dogs and, 56

CBT (cognitive behavioral therapy), 55

Childcare

community events and, 103, 108
 and routine separation, 110
 sharing, 104
 support for new parents, 101, 103, 104, 107

Childhood, traumatic experiences in

drug and alcohol abuse risk higher, 96
 feeling of betrayal by caretakers, 39
 memories of, 34
 ongoing or long-lasting, 34
 separations from caregiver, 110
 stress and, 19

Children

Activity: Working with emotions, 85–86
 anger and, 67, 84, 85–86
 behavior changes, 43, 53, 109
 blaming themselves, 43, 76
 disciplining, 77
 grieving process of, 43
 How to: Use finger-holding, 21
 meditation and, 22
 mental health warning signs, 53, 118
 play, need for, 107, 111, 108
 separation from caregivers, 110
 and violence in the home see **Cycle of violence; Family violence**

also see **Babies and children; Childcare; Childhood, traumatic experiences in; Children, communication with; Pregnancy and parenting; Schools; Youth/adolescence**

Children, communication with

adults as role models, 43, 77, 78, 110
 and cycle of violence, 77–78
 on death and other losses, 43, 110
 emotions, acknowledging, 77
 good behavior, recognizing and praising, 77
 How to: Use puppets with children, 111
 storytelling, 78
 stressful situations, 109, 110

Child Welfare Services, 110**Chiropractic care, and detox, 94****Climate crisis, activism, 113, 120****Cognitive behavioral therapy (CBT), 55****College students**

alcohol- and drug-free dorms, 97
 sexual violence and, 70
also see **Youth/adolescence**

Communication skills

Activity: Working with emotions, 85–86
 and addiction, 25, 90–92
 with dying person, 128–129
 emotions, acknowledging, 77
 How to: Communicate during crisis, 63
 How to: Communicate during psychosis, 57
 How to: Talk about alcohol and drugs, 91
 and manic states, 55
 modeling communication, 75–77
 and severe depression, 54
 and sexual violence, 71, 75
 storytelling, 78
also see **Children, communication with; Crisis situations; Listening skills/being present**

Community centers, 23, 122**Community gardens, 8, 24****Community gatherings, planning**

access, 10, 124
 actively inviting people in, 124
 alcohol-free events, 10, 97
Death Cafe Guide, 127, 166
 diverse identities in, 9
 families with children, 10, 103, 108
 language diversity, 10, 124

Community meal programs, 24**Community organizing**

actively inviting people, 124
 adapting information for, 5
 adult friendship and community networks, 122–124
 affirming and positive process, 13
 changes build on each other, 13
 grieving and, 44
 health promoters (*promotores*), 11
 as long-term project, 13
 for mental health emergencies, 60
 as stress reduction and prevention, 22
 successes, analyzing, 17
 working conditions in, 149, 152–154
 youth participation in, 80, 113
also see **Community gatherings, planning; Peer counseling and support; Social change, relation to mental health; Social conditions cause mental health problems; Support groups**

Compassion, 83, 112, 149

Complementary care, 128

Connectedness

Activity: Yarn web of relationships, 82
as essential support in mental illness, 53, 54

healthy communities and, 7

violence as harming, 82

also see **Isolation**

Controlling partner *see* **Intimate partner violence**

Counseling

for anxiety, 30

during pregnancy or after birth, 101, 103, 105

for PTSD, 55

for survivors of gun violence, 69

also see **Peer counseling and support; Talk therapies**

Crafts, 36–37, 44, 86, 111

Crisis situations, 59–65

calling trusted friends or family, 57, 60, 63

police, alternatives to calling, 60, 64

safety during *see* **Safety for mental health workers**

also see **Emergency situations; Safety, for person in crisis; Safety for mental health workers**

Crying, depression and, 45

Cultural traditions

acupuncture, 94–95

actions and speech, interpretations, 83

and anger, expression of, 84

birth care, 102

calming practices, 31

and cycle of violence, 78, 81

for death and grief, 44

healthy habits, 24

immigrants and, 103

Indigenous knowledge, 24, 78

and intimate partner abuse, 73

pregnancy and parenting supports, 101, 102, 103

PTSD management and, 55

storytelling for children, 78

stress reduction practices, 22

talking stick, 136

Cutting (self-harm), 118

also see **Suicide**

Cutting of female genitals (FGM/C), 38

Cycle of violence

approaches to ending, 82–83

children and, 75, 77–78, 81

de-escalating violence, 14, 62, 83

peer counseling, 83

restorative justice and, 81–83

also see **Violence**

D

Daily life, not coping with

anxiety and, 33

depression and, 45

grieving and, 42

psychosis and, 56

Dance and movement, 7, 24, 38, 120, 123, 125, 136, 140

Danger, trauma alertness to, 34, 35

Death and dying, 127–129

“Death Cafes,” 127, 166

How to: Use finger-holding, 21

of someone close, 40, 128–129

of someone in the community, 40

of someone in a difficult relationship, 40, 42, 129

stigma and shame about cause of, 42

also see **Grief and grieving**

Death doulas, 129

Debt, campaigns to cancel, 81

Decision making

for people in crisis, 63

stress and effects on, 19

for trauma sufferers, 35, 55

Delusions, psychosis and, 56, 57

Denial

addiction and, 90, 91, 92

trauma and, 34

Depression, 44–47

burnout and, 148
 as medical condition, not personal
 weakness, 45
 in pregnancy or after birth, 103
 self-medicating, 89–90
 severe depression, 45, 49, 54, 103
 stress as cause of, 20, 47, 80
 trauma and, 34

Diabetes

as cause of strange behavior, 59
 stress causing or worsening, 20, 24

Diet *see* **Food advocacy; Food and mental health****Disabilities, people with**

access to events, 10
 discrimination against, 19
 grieving in adjustment to, 40

Disasters, and grief, 40**Discrimination**

addiction struggles of unhoused, 94
 as cause of stress, 19, 80
 for customs or language, 19
 for mental health challenges, 19, 49,
 51–52
 news and social media fueling, 69, 113
 poverty and, 79–80, 94
 for religion, 10
 types of, 19
 young people's awareness of, 113
also see **Homophobia; Racism; Sexism**

Divorce

addressing children about, 43
 grief and, 40

Dogs, service, 56**Domestic violence** *see* **Family violence; Intimate partner violence****Domestic workers, 8, 28, 38, 127****Doulas, 101, 102****Drama and theater, 8, 38, 136****Drawing, 36–37, 38, 39, 85–86, 111, 135–136**

also see **Arts**

Drugs, prescription *see* **Medication; Medicines (psychiatric)****Drug use**

behaviors due to, 59
 and drop-in site interactions, 62, 145
 drug-free events and spaces, 97
 harm reduction strategies, 95–96
 historical use of, 87
 increased use and mental illness, 53
 intergenerational effects of abuse, 96
 overdose deaths, 42
 peer pressure, 72, 93
 self-medication, 19, 42
 youth and, 96–97
also see **Alcohol and drug addiction**

E**Early childhood** *see* **Babies and children; Childcare; Children, communication with; Pregnancy and parenting****Eating** *see* **Food advocacy; Food and mental health****Economic intimidation, as violence, 72, 73****Economic stress**

debt, as structural violence, 81
 pregnancy, parenting and, 100, 105
 working several jobs, 19

Elders *see* **Older people and aging****EMDR therapy, 55****Emergency rooms**

rape, staff trained to support victims, 71

Emergency situations

alternatives to police, 60
 heart attack, panic attack resembles, 32
 procedures for, organizational, 60
 psychosis of new mother, 105
also see **Crisis situations; Safety for mental health workers**

Emotional support, 25–29

emotional safety after trauma, 35
 for family and friends, 119
 in grief and grieving, 40–41
 How to: Offer support, **26–27**
 How to: Use finger-holding, **21**
 for intimate partner violence, 74
 in serious mental illness, 52
also see **Emotions; Listening skills/being present**

Emotions

Activity: Your “Digital Loop,” 115–116
 Activity: Pause and reset, 140
 Activity: Working with emotions, 85–86
 of dying person, 129
 How to: Talk about feelings, 138
 How to: Use puppets with children, 111
 Pregnancy, parenting and, 100, 104, 105
 psychosis and changes in, 56
 as spreading through interactions, 143
 support groups and, 131
 trauma and unpredictability of, 34
 understanding and processing, 85–86
 youth and intensity of, 112, 118
also see **Anger; Anxiety; Emotional support; Grief and grieving; Guilt feelings; Hate; Sadness; Shame**

Energy, lack of

burnout, 148
 depression and, 45
 severe depression and, 54
 stress as causing, 20
 as warning sign, 53
 youth and, 118

Environmental justice

and structural violence, 79, 121
 youth and, 119, 120–121

Exercise *see* Physical activity

F

Family

“chosen family,” 121
 intimate partner violence and, 73
 person with addiction in your, 92
 of youth in crisis, 119
also see **Family life; Intergenerational health issues**

Family life

creating strong, loving family, 77
 meet-ups for young families, 108
 parents’ networks, 104
 stress from, 19
also see **Children; Cycle of violence; Family support for person with mental health challenges; Family violence; Intimate partner violence; Pregnancy and parenting**

Family support for person with mental health challenges

asking for explanation of unusual behavior, 59
 contacting during crisis, 55, 57
 monitoring effects of medicines, 50, 51
 support for, 119

Family violence, 76–78

LGBTQ+ youth and, 121
 in pregnancy or parenting, 105
 trauma resulting from, 34, 76
also see **Childhood, traumatic experiences in; Cycle of violence; Intimate partner violence**

Farmers’ markets, 12, 24

Fears

How to: Use finger-holding, 21
also see **Anxiety; Trauma**

Female genital cutting (FGM/C), 38

Finger-holding to manage emotions, 21

Flashbacks, trauma and, 34, 55

Food advocacy

community gardens, 8, 24
 community meal programs, 24
 cooking as support, 14, 23, 117
 farmers’ markets, 12, 24
 food pantries, 22, 35
 grocery stores, activism, 69
 How to: Pick a health habit, 23–24
 nutrition, 117
 restaurants, family-friendly, 108
 school snacks, healthier, 24
 to support mental health, 50
 urban farmers, 12
 youth and, 24, 117
also see **Food and mental health**

Food and mental health

addiction detox and, 94
 changes in eating as warning signs, 53
 depression and lack of interest in, 45
 “food apartheid” (food deserts), 69
 grieving and problems with, 40, 42
 lack of, depression and, 47
 pregnancy, parenting and, 101, 107, 108
 youth, eating patterns, 117, 118
also see **Food advocacy**

Food pantries, 22, 35

Friends and friendships

during adulthood, 122–124
 depression and, 45, 47
 How to: Pick a health habit, 23–24
 mental health helpers and, 150, 151
 partner forbidding contact, as abuse, 73
 youth activism supported among, 113
also see **Friends support for person with mental health challenges**

Friends support for person with mental health challenges

asking for explanation of unusual behavior, 59
 contacting during crisis, 55, 57
 monitoring effects of medicines, 50, 51
 support given to the friend, 119

G**Gaming addiction, 89****Gang violence, 14, 81****Gender-based violence, 70–78**

female genital cutting (FGM/C), 38
 sexual orientation and gender identity, 70, 121

also see **Intimate partner violence; Sexual violence**

Gender identity

challenges faced by youth, 46, 112
 resources and hotlines, 61, 121
 violence based on, 70
also see **LGBTQ+ people**

Generational issues *see* Intergenerational health issues**Grief and grieving, 40–44**

depression distinguished from, 44–45
 How to: Use finger-holding, 21
 mass shootings, community grieving, 69
also see **Grief and grieving, blocked**

Grief and grieving, blocked, 42

alcohol/drug use to avoid grief, 42, 90
 cultural loss and unresolved grief, 15

Guilt feelings

in depression, 45
 in trauma, 34
also see **Blame; Shame**

Gun violence, 68–69

Activity: Speak the unspeakable, 36–37
 mass shootings, 34, 69
 prevention of, 14, 68, 69
 school shootings, 113
 young people as aware of, 113

H**Hallucinations, psychosis and, 56, 57, 61, 63, 105****Harm reduction strategies, 95–96****Hate, in news and social media, 69, 113****Headaches, as sign**

anxiety, 30
 burnout, 148
 serious mental illness, 53
 stress, 20
 trauma, 34

Health care, lack of access, 47, 49–50, 100

also see **Medical care**

Health habits, 23–24**Health insurance**

drug/alcohol treatment costs, 93
 lack of coverage for mental health, 49
also see **Medicaid; Medicare**

Heart attack vs. panic attack signs, 32**Heart disease, 20****Helping ourselves do this work, 143–154**

crisis situations, support following, 65
 trauma group facilitators, support for, 37
also see **Burnout**

Hepatitis C, 95**High blood pressure, 20, 24, 80****High school students**

anxiety of, and junk food, 24
 elders, volunteer with, 125
 gender and sexuality, 46
 How to: Work with young people, 113
 online lives, 114, 115–116
 spaces and places to connect, 113
 violence prevention and relationships, 76
also see **Youth/adolescence**

History of community

healthy habits, revival of, 24
 marking or restoring sites, 7, 44
 oral histories, 126

HIV/AIDS

AIDS Quilt, 44
harm reduction and prevention, 95

Homophobia

churches and, 124
as discrimination, 19
as structural violence, 79–80
violence against LGBTQ+ youth, 121
also see **LGBTQ+ people**

Hopelessness

depression and, 45
PTSD and, 55
trauma and, 34
as warning sign, 53
youth and, 118

Hospice services, 128, 129

Hotlines, 155

drug addiction, SAMHSA, 93, 159
Friendly Voice (seniors), 126, 155
Gambler's Anonymous, 89, 155
list of, 155
National Domestic Violence, 74, 155
National Sexual Assault, 71, 155
police and alternatives, 60
suicide prevention (988 phone line), 60, 155
Trans Lifeline, 61, 155
The Trevor Project (LGBTQ+), 121, 155
Veterans Crisis Line, 61, 155
"warmlines", 61

Housing

addiction and need for permanent, 93, 94
basic need, to support mental health, 50
depression and, 47
environmental structural violence and, 79
forced move-outs, grieving and, 40
lack of, as structural violence, 80
peer respite house, 58
racist redlining practices and, 79
youth activism for, 80

Human trafficking, 70

Hydration *see* **Water to drink**

Hypervigilance, trauma reaction, 34, 35, 55

I

Immigrants and refugees

advocacy for, 28, 125, 149
cultural loss or disruption and, 103
denied asylum, as structural violence, 79
domestic worker advocacy, 8, 38
family separations, 110
summer camp program for, 119
worries about distant family, 25

Immune system problems, and stress, 20

Incarcerated persons

community awareness and support, 51
and cycle of violence, 81
peer counselor training program for, 83
people of color, disproportionately, 96
service dog training program for, 56
as traumatic separation for children, 110

Inequalities *see* **Discrimination; Lack of access; Social conditions cause mental health problems; Structural violence**

Integrative therapies, 50, 55, 94

Intergenerational health issues

drug and alcohol addiction, 96
structural violence as causing, 80
trauma and, 34

also see **Cycle of violence**

Intimate partner violence, 72–78

peer counseling and, 28
power in relationships, 72–73, 156
practical support, 28, 74
pregnancy and parenting, and 105
support person experiencing, 28, 72, 74
also see **Family violence; Gender-based violence**

Intimidation, as violence, 72–73

Irritability, 53, 56, 83, 88, 112, 148

Isolation

of domestic workers, 8
of gig workers, 123
of parents of young children, 103
of person, as abuse, 72, 73
serious mental illness and, 53, 56
trauma and, 34, 36
also see **Connectedness**

J

Jealousy, 72

Jobs

- loss of, grieving, 40
- partner stopped from getting, as abuse, 73
- quitting, in manic state, 55
- workforce development, 12, 80, 83
- working too much, 42
- for youth, 80, 113
- also see* **Workplace**

Judgments and assumptions, avoiding

- How to: Communicate during psychosis, 57
- How to: Offer support, 26–27
- and situations of violence, 83

L

Lack of access

- aging, support for, 125
- health care, 47, 49–50, 100
- mental health care, 49–50
- pregnancy care and leave, 100, 103, 104
- also see* **Housing; Structural violence**

Lamaze classes, 103

Language

- abusive, aimed at helpers, 145
- abusive or insulting, as violence, 73, 76
- bilingual programming, 28, 93, 125, 126
- consideration for gatherings, 10, 124
- discrimination against non-English speakers, 19
- inclusive word choices, 6
- non-English language resources, 60
- words used to discuss mental illness, 51
- words use, group agreement, 133

Last Will and Testament, 127

Lead exposures, 121

Legal rights and legal aid

- Advance Health Care Directive, wills, 127
- intimate partner abuse, support with, 74
- psychosis in pregnancy, parental and medication rights, 105

LGBTQ+ people

- “chosen family” and, 121
- churches welcoming, 124
- intimate partner violence, 72
- support groups for, 141
- violence toward, 70
- youth, 46, 121
- also see* **Gender-based violence; Homophobia;**

Libraries, as “third place,” 122

Listening skills/being present

- Activity: Practice good listening, 29
- Activity: Speak the unspeakable, 36–37
- grieving process, 41
- hotlines for seniors, 126, 155
- How to: Offer support, 26–27
- manic state, person in, 55
- offering emotional support, 26–27
- in support groups, 137
- trauma experiences, 37
- violence prevention, 14
- working with young people, 113

Loss

- as a part of life, 40
- as contributing to depression, 47
- also see* **Grief and grieving**

Love

- children’s need for, 43, 77, 107
- “chosen family” and, 121
- for a dying person, 128, 129
- resilience and, 2

LSD, 55

M

Mania, 54–55

- also see* **Mental illness, serious**

Marriage, forced, 70

Massage, and addiction detox, 94

Mass shootings, 34, 69

MDMA, 55

Medicaid

- and doula costs, 101
- and drug/alcohol treatment costs, 93
- help applying for, 125

Medical care

Advance Health Care Directives for, 127
 debt from, 81, 156
also see **Emergency rooms; Emergency situations; Health insurance; Medication; Mental health; Physical illnesses**

Medicare, 125

Medication

addiction treatment, 92, 94, 95
 pain control in death and dying, 128, 129
also see **Medicines (psychiatric)**

Medicines (psychiatric)

community and, 50, 51
 compliance and, 50, 51, 54, 55
 for depression (anti-depressants), 46, 54
 effects of, 50, 54
 finding right treatments/doses, 46, 50, 54
 in pregnancy or after birth, 101, 103, 105
 psychedelic drugs/substances, 55
 for PTSD, 55
 and social conditions, 46, 50

Meditation, 22

Activity: Pause and reset, 140

Memory

of childhood trauma, incomplete, 34
 flashbacks, trauma and, 34, 55
 traumatic memory, EMDR therapy, 55

Mental health

community promotion, 4
also see **Alcohol and drug addiction; Anger; Crisis situations; Mental health at different times of life; Mental illness, serious; Social conditions cause mental health problems; Stresses affect mental health; Violence**

Mental health at different times of life, 99–129

also see **Babies and children; Death and dying; Older people and aging; Pregnancy and parenting; Youth/adolescence**

Mental health helpers

health promoters (*promotores*), 11
 people turning to you for support, 59
also see **Communication skills; Community organizing; Crisis situations; Emergency situations; Emotional support; Helping ourselves do this work; Mental health providers; Safety for mental health workers**

Mental health promoters see Mental health helpers; Mental health providers

Mental health providers

emergency responders, 60
 insensitivity to racism, 49
 ongoing connection with, 46
also see **Communication skills; Crisis situations; Emergency situations; Helping ourselves do this work; Mental health helpers; Safety for mental health workers**

Mental illness, serious, 49–58

alcohol & drug misuse, co-occurring, 89–90, 93
also see **Crisis situations; Mania; Medicines (psychiatric); Mental health providers; Psychosis; PTSD (post-traumatic stress disorder); Severe depression**

Methadone, 95

Methamphetamine, 59

Midwives, 101, 102

Military members, 122

Missing/murdered women of color, 70

Mobile phones

Activity: Your “Digital Loop,” 115–116
 contacts list for health workers, 60
 hotline for abused partners, 74
 reminders for responsibilities, 114
 sleep practices of setting aside, 23
 walking, not using while, 114
 youth activism for limiting use, 114–115
also see **Hotlines**

Money issues see Economic intimidation; Economic stress; Poverty

Mood changes, serious mental illness, 53

Moral injury, 149

Movement and touch therapies, 45

Murals, 52, 99

Music

- community events and, 7
- in death and dying, 129
- grief and grieving and, 40
- instead of online time, 114
- as stress reducer, 21, 22, 150
- support groups and, 136

N

Naloxone (Narcan), 95

Naltrexone, 92

Narcan (naloxone), 95

Nausea, 34

Neighborhoods

- as community, 9
- “Know Your Neighbor” get-togethers, 10
- and structural violence, 79–80

Neighbors

- knowing, as depression prevention, 47
- notifying about abuser, 74

Neurodiverse people, 19, 58

Newborns *see* **Babies and children;**
Pregnancy and parenting

Numbness

- burnout and, 148
- depression and, 45
- PTSD and, 55
- self-treating with drugs or alcohol, 89–90
- as trauma reaction, 34

Nutrition, 117

also see **Food advocacy; Food and**
mental health

O

Older people and aging, 125–127

- abuse and scams, 126
- care workers, working conditions, 127
- library services for, 122
- panic attacks and heart attacks, 32
- support groups, 125, 126
- transportation options, 25, 126
- also see* **Death and dying; Senior centers**

Online life

- Activity: Your “Digital Loop,” 115–116
- body shape and size, messages about, 117
- elder abuse and scams, 126
- get-togethers, 9
- scrolling to avoid emotions, 42
- support groups, 58, 89, 131, 133
- youth self-limiting, 114–115
- also see* **Mobile phones**

Oral histories, 126

Outdoor experiences

- community gardens, 8, 24
- exercise habit, 23
- mental health and need for, 12, 22
- physical health and need for, 22–24
- summer camps, 46, 119
- youth and need for, 113
- also see* **Community gardens; Parks**

P

Pain

- acupuncture as treatment, 95
- anxiety as cause, 30
- in death and dying, medication, 128, 129
- massage as addiction detox treatment, 94
- self-treating with drugs or alcohol, 89–90
- serious mental illness as cause, 53
- stress as cause, 20

Palliative care, 128

Panic attacks

- How to: Help during a panic attack, 32
- How to: Regain calm, 31
- signs of, 32, 118
- youth and, 118

Parenting *see* **Children; Pregnancy and parenting**

Parks

community use of, 24
as “third places,” 122
yoga and dance classes in, 24
also see **Outdoor experiences**

Patience

in calming and de-escalating crisis, 62
with children, 43
How to: Offer support, 26–27
lack of, 112, 143

Peer counseling and support

alcohol and drug abuse recovery, 93
counselor’s trauma activated by, 147
harm reduction programs, 96
helpers, among elders, 126
library resources, 122
resources on crisis reference sheet, 60
respite house, 58
uses of, 28, 58, 83
“warmlines” and, 60, 61
working with “difficult” people, 144–147
for youth, 112
also see **Counseling; Support groups; Talk therapies**

Peer pressure, 93, 96, 112

Phones *see* **Mobile phones**

Physical activity

basic need, to support mental health, 50
classes in yoga, dance, movement, 24
community or senior center and, 23
grieving process and self-care, 40
as health essential, 22
How to: Pick a health habit, 23–24
youth and need for, 113

Physical illnesses

anger as causing, 84
asthma, 79
and behavior problems, 59
communication with children about, 43
grieving and, 40
How to: Use finger-holding, 21
medical ID bracelets, 59
sexually transmitted illnesses (STIs), 71
stress and, 19, 20, 24, 80
structural violence causing, 80
trauma causing, 34

also see **Intergenerational health issues**

Play-acting, and children, 111

Play, child development and 107–108, 111

Police

alternatives to, hotlines, 60
avoidance of involving, 51, 57, 60
rape reports and documentation, 71
reporting to, legal requirements, 134
violence by, 14, 79, 80, 113

Post-traumatic stress disorder *see* **Poverty, PTSD (post-traumatic stress disorder)**

discrimination and addictions, 94
as structural violence, 79–80, 81
also see **Economic stress; Housing; Racism; Structural violence**

Power/control in relationships, 72–73, 156
Power and control wheel, 73, 156

Pregnancy

rape and prevention of, 71
reproductive health care, denial, 79, 113

Pregnancy and parenting, 100–105

building community during, 103, 108
childcare assistance, 101, 103, 104, 107
community events, including babies and children, 10, 103, 108
practical support (meals, transportation), 101, 107

also see **Babies and children**

Prison *see* **Incarcerated persons**

Protective shield, repair of, 39

Psychedelic drugs, as therapy, 55

Psychiatric medicines *see* **Medicines (psychiatric)**

Psychosis, 56–57

accepting their version of reality, 57, 61
do not touch without permission, 57, 61
hallucinations, 56, 57, 61, 63, 105
in pregnancy or after birth, 105
as serious mental illness, 49

also see **Mental illness, serious**

PTSD (post-traumatic stress disorder), 55–56

emotional safety, creating, 35, 55
as serious mental illness, 49
signs of, 34, 55

also see **Mental illness, serious**

Puberty, 112

also see **Adolescence**

Public health departments

alcohol advertising, 97
detox facilities, establishing, 94

Puppets, 111**R****Racism**

acknowledging, during support, 35
as discrimination, 19
disproportionate imprisonment as, 96
and environmental justice, 79, 121
“food apartheid” (food deserts), 69
housing redlining practices, 79
lack of access to health care, 100
lack of addiction treatment services, 94
mass shootings, 69
mental health provider insensitivity, 49
news and social media fuel, 69, 113
pregnancy, parenting and, 100, 102, 105
stress caused by, 20, 49, 80
and stress-related physical problems, 20, 80, 102
as structural violence, 69, 79–80, 121
as trauma to be taken seriously, 35, 49
unequal treatment due to, 35
violence and, 14, 35, 69, 79, 80
youth awareness of, 113

also see **Discrimination; Structural violence**

Rape, 70, 71**Refugees, see Immigrants and refugees****Relationships**

abusive, and stress, 19
consent, teaching about, 76
death of someone you had a difficult relationship with, 40, 42, 129
end of, and grieving, 40
healthy ones prevent violence, 75–76
puberty and increased interest, 75, 112
trauma and strain in, 34
unhappy, and stress, 19
youth and need to build, 113

also see **Intimate partner violence; Sex**

Religion and spirituality

alcohol and drug programs and, 93
alcohol, pledges not to drink, 96
calming practices (prayers, mantras), 31
death rituals, 40, 44
discrimination based on, 10
and the dying person, 129
grieving process and, 42
older people, need for transportation, 25

Reproductive health care, denial, 79, 113**Restaurants, family-friendly, 108****Restlessness, 30****Restorative justice, 81–83****Role plays to practice skills, 63****Rural programs, 81, 99, 125**

also see **Outdoor experiences**

S**Sadness**

How to: Use finger-holding, 21
How to: Use puppets with children, 111
ups and downs of life, 1, 44–45
also see **Depression; Grief and grieving; Mental illness, serious**

Safety, for person in crisis

emotional safety for trauma survivors, 35
expressions of concern, 64, 65
making space for, 61
removing dangerous objects, 64

Safety for mental health workers

awareness of surroundings, 59
 calling experienced person, 62, 64
 contacting trusted person, 59, 60
 consciousness of safety, 63
 as first priority, 59, 63, 64, 83
 know your limits, 60
 and psychosis, communication during, 57
 removing others from a situation, 64
 resources available, reference sheet, 60
 stay out of reach/safe distance, 59, 64
 threatening body language, 62
 weapons, 59

also see **Crisis situations**

Safety plan, for abused intimate partner, 74

Schizophrenia, 49, 57

also see **Psychosis**

Schools

absences and performance as warning signs, 53
 activism supported in, 113
 difficulty keeping up with, 118
 gun violence in, 113
 healthy relationships and, 75–76
 safety walking home from, 30
 snack choices, 24
 spaces and places to connect, 113
 stress from, 19
 teachers noting behavior changes, 109
 underfunded, as structural violence, 79
 violence for children at home, 76
 violence prevention, 76, 156
also see **College students; High school students**

Self-harm (cutting or other), 118

also see **Suicide**

Senior centers, 125

as “third places,” 122
 workshops or classes, 23

Seniors *see* **Older people and aging**

Serious mental illness *see* **Mental illness, serious**

Service dogs, 56

Severe depression, 54

as serious mental illness, 49
 signs of, 45
 support for person with, 45, 54
also see **Mental illness, serious**

Sex

depression and lack of interest in, 45
 modeling healthy relationships, 75–76
 puberty and interest in, 112
 youth sources of information about, 75
also see **Relationships; Sexual violence**

Sexism

reproductive health care denial, 79, 113
 as structural violence, 79–80

Sexually transmitted infections (STIs), rape and, 71

Sexual orientation

challenges faced in defining, 46
 discrimination *see* **Homophobia**
 resources and hotline, 121
 violence based on, 70
also see **Gender identity; LGBTQ+ people**

Sexual violence, 70–71

healthy relationships prevent violence, 75–76
 hotline for, 71, 155
 peer counseling and, 28
 sexual abuse, “mandatory reports,” 134
 sexual abuse, youth and , 118, 134
 support for survivors of, 28, 71
also see **Intimate partner violence; Violence**

Shame

alcohol, drug addiction and, 87, 90, 92
 following a death, 42
 by new mothers with depression, 103
 trauma and failure to protect someone, 39
 of trauma survivors, 36
 of trauma survivors who were also abusers, 34

Signs

addiction, 87–88, 89
 constant worry/anxiety, 30
 depression, 45
 heart attack, 32
 intimate partner violence, 72
 mania, 54
 panic attack, 32
 physical health emergencies that look like
 mental health emergencies, 59
 PTSD, 34, 55
 serious mental illness, 53–54
 stress, 20
 trauma, 34
 youth mental health challenges, 118

Sleep and sleep problems

anxiety, 30
 burnout, 148
 depression, 45
 getting enough, 22
 grief and self-care, 40, 42
 How to: Pick a health habit, 23
 mania, 55
 ongoing stress and, 20, 80
 psychosis, 56
 psychosis after birth of child, 105
 PTSD, 55
 trauma, 34
 as warning signs, 53
 youth and, 113, 118

SMART recovery, 93**Social change, relation to mental health**

action on lack of mental health care, 50
 building community, 4, 7, 15, 47
 burnout, 148–149, 152
 medicines will not fix, 46, 50
 systemic inequalities see **Structural violence**
 traumatic separation of children, 110
also see **Community organizing; Social conditions cause mental health problems**

Social conditions cause mental health problems

Activity: But why?, 16–17
 Activity: Individual and community mental health, 3–4
 anger as response to, 67, 69, 84
 anxiety from, talking about, 30
 as crisis, 50
 depression and, 47
 hard times as worsened by, 15
 identification of, 3–4, 15–17
 individual problems and, 2
 medicine can't fix problems caused by, 46, 50
 medicines, and lack of other options, 50
 structural inequalities see **Structural violence**
 trauma and ongoing conditions, 35
 violence as worsening, 67, 84
 youth awareness of, 113
also see **Lack of access; Social change, relation to mental health**

Social media

Activity: Your “Digital Loop,” 115–116
 addictive by design, 114
 body shape and size, messages, 117
 confidentiality needs and violence, 74
 disrespectful behavior, 76
 lawsuits, for fueling hate and violence, 69
 spending too much time on, 113, 114
 youth activism to limit, 114–115

Somatic experiencing, 55**Spending money in harmful ways, 55, 89****Spirituality, see Religion and spirituality****Sports, and healthy relationships, 76****Stigma**

of alcohol and drug problems, 92
 of breastfeeding, 104
 on cause of loved one's death, 42

Stomach and intestinal problems

burnout, 148
 stress, 20, 80
 trauma, 34
 as warning signs, 53

Storytelling, 10, 16, 38, 78, 111, 136, 141

Stress reduction, 20–29

Activity: Pause and reset, 140
acupuncture as treatment, 95
meditation, 22, 140

also see **Burnout; Calmness; Helping ourselves do this work**

Stresses affect mental health, 19–47

avoidance of topic of death as, 127
babies and children, separations, 110
effects on health, 20, 80
massage as addiction detox treatment, 94
ongoing harmful stresses, 19, 20, 47, 80
pregnancy and parenting newborns and, 100, 104
youth and, 118

also see **Anxiety; Depression; Grief and grieving; Mental illness, serious; Stress reduction; Trauma**

Stroke, 59

Structural violence, 79–83

burnout of mental health helpers, 148–149, 152
environmental racism, 79, 121
“food apartheid” (food deserts), 69
racism, 69, 79, 80, 121

Student loan debt, 81, 156

Suboxone (buprenorphine), 95

Substance use and abuse *see* **Alcohol and drug addiction; Alcohol use; Drug use**

Suicide

construction workers and, 25
crisis situation of person considering, 65
hotline, 60
“mandatory reports” to police, 134
severe depression and, 45
taking it seriously, 54, 65
talking and thinking about, as warning sign, 53, 54

Support groups, 131–141

for addiction (12-step and others), 89, 92, 93, 163
for depression, 45
for elder abuse, scam recovery, 126
for family of alcohol & drug abusers, 92, 131, 132
for grief and grieving, 40
How to: Regain calm, 31
for LGBTQ+ people, 141
for new parents, 103
online, 58, 89, 131, 133
participation, balancing group members, 137, 139, 144, 146
peer support, 58
for PTSD, 55
for severe depression, 54
for specific problems, 131, 132, 133
for trauma, 36–37
women’s healing needs, 141

also see **Helping ourselves do this work**

Sweating, excess, 30

Symptoms *see* **Signs**

T

Take Back The Night marches, 70

Talk therapies

cognitive behavioral therapy (CBT), 55
traumatic memories (EMDR), 55
what is felt in the body (somatic experiencing), 55

also see **Counseling; Support groups**

Tea, 22, 23

Teens *see* **College students; High school students; Youth/adolescence**

Television, and avoidance of emotions, 42

Theater

domestic worker advocacy via, 38
support groups and use of, 136

“Third places”, 122

Transportation

older people, help with, 25, 126
planning events and, 10, 124
support for pregnancy and parenting, 101, 107

Trauma, 34–39

acupuncture as treatment for, 95
 female genital cutting (FGM/C), 38
 peer counselor's trauma activated, 147
 harm reduction programs, 95
 in pregnancy and after birth, 105
 self-treating with drugs or alcohol, 89–90

also see **Childhood, traumatic experiences in; PTSD (post-traumatic stress disorder); Violence**

Trust

crisis situations and, 62, 63
 demonstrating through behavior, 35
 for peer counselors, 28
 psychosis and, 57
 support groups and, 141

U

Unhoused people *see* **Housing**

Urban farmers, 12

V**Verbal abuse**

of mental health helpers, 145
 as intimate partner violence, 73, 76

Veterans, 61

Video/computer games, 42, 89, 113, 114

Violence, 67–86

against LGBTQ+ youth, 121
 crisis situations and threats of, 62, 64–65
 gang violence, 14, 81
 grieving losses from, 40
 news and social media fueling, 69, 113
 police violence, 14, 79, 80, 113
 racist violence, 14, 35, 69, 79, 80

also see **Family violence; Gender-based violence; Gun violence; Intimate partner violence; Structural violence; Violence prevention and recovery**

Violence prevention and recovery

Activity: Power in relationships, 73
 Activity: Yarn web of relationships, 82
 “call-ins” (meetings), 68
 cultural healing for youth, 81
 gun violence, 14, 68, 69
 healthy relationships, 76
 incarcerated peer counseling, 83
 intimate violence, abuser accountability, 75
 restorative justice, 81–83
 Take Back The Night marches, 70
 Tops Market shooting and activism, 69
also see **Cycle of violence**

Visualization, calming practice with, 31

W

Warmlines, 61

Warning signs *see* **Signs**

Water to drink

addiction detox and need for, 94
 How to: Pick a health habit, 23–24
 lead exposures in Flint, Michigan, 121
 schools and, as alternative to sodas, 24
 unsweetened herb tea, 23

Weight loss, as warning sign, 53

Wheel of power and control, 73

Will, preparation of, 127

Workforce development, 12, 80, 83

Working conditions

community organizations and workplaces, 149, 152–154
 domestic workers, 8
 freelance and gig workers, 123
 immigrant advocacy, 8, 28
 unions, 123
 women's advocacy, 8, 28
 workplace committees, 123, 154
also see **Workplace**

Workplace

absences and performance, as warning signs, 53
 grieving and return to work, 42
 relationships, advocacy for, 47, 123
 stress from, 19
also see **Jobs; Working conditions**

Worry *see* **Anxiety**

Writing as self-exploration

grief and grieving and, 40
support groups and, 135, 136, 140–141
trauma and, 36–37, 38

also see **Arts**

Y

Yoga, 24

Young children *see* **Babies and children**

Young people *see* **College students; High school students; Youth/adolescence**

Youth/adolescence, 112–121

brain development, 97, 112
peer pressure, 93, 96, 112
sex and romantic feelings intensifying in,
75–76, 112

also see **College students; High school students; LGBTQ+ people; Youth, activism and organizing; Youth, mental health challenges**

Youth, activism and organizing 119–121

Activity: Your “Digital Loop,” 115–116
cultural healing and living, 81, 120
elder group home project, 125
elder oral histories project, 126
food and nutrition, 117
green space programs, 12
healthy relationships prevent violence,
75–76
housing activism, 80
How to: Work with young people, 113
including kids who are shy or need
encouragement, 113
and multi-generational solutions, 125
online time, limiting, 114–116
participation in community, 80, 113
peer support programs, 112
sports and activities, to prevent drug and
alcohol abuse, 96–97
summer camps, 46, 119
violence prevention, 14, 76, 81
also see **Cycle of violence; LGBTQ+ people**

Youth, mental health challenges

abuse or pressure on, 118
body shape and size, messages, 117
community support and, 112
drug & alcohol abuse harmful for, 96–97
eating patterns, 117
excessive time online, 114–116
housing and, 80
self-harm, 118
signs of, 118
support for family and friends of, 119